How to recover the bluetooth if the programme get lost(check the first document how to identify if the programme get lost or not)

Solution 1.

If your BMS have Uart function and Uart cable, and you have a computer with you.

1. Connect the Uart cable with the computer and BMS(don't plug other USB on the computer except mouse)

2. Click PCmaster, click open



Click the right up button.

	Beerfit and toring	tion Parmetter Minister Artifician	Rodurn Pain	er for effere bijerer	Annalia 42 Anna Eineanai	
	Nok	Max Cult Post Max Cult Post	Mar Tang Mar Tang	Mass Tamp Poer Min Tamp Poer	Charline Charling Mare	
72 6	Coloren Ditante DOTamas	NTC nam DQ andres DQ2 andres	00 antes 001 antes	Dit sector	Paday Saidah Cycle Tanan	
	Curr:					
	50C 21-30 31-40 41-40					Ξ
	1.0		F			
	11708		-	V.	- 0 - 0 - + 1	
					-1-1-1	~

Select right comm, click open

	\square	Buta setting	Par east or	ndaran Berleve Mari Tanya	ing _{stan} kinner s	Annella #2 Antoni Enteriti	
	SumVot	Min Visit Carlle num: Cifl statute D(0) summe	Min Call Pays NTC num Sectod part set CommitParts	No. Tony Result for Really	Bin Turny Pau Bint Life Dif metrics Dif metrics	Rely Seals Rely Seals Cycle Terres	
	SOC:	Coll viluge					
-							
						1-1-0	

3. The interface shows the data, and the bms life is changing, means already connect successfully. If shows no data, try the above procedures again.



4. Click BMS upgrade on the right top button,



5. Select the right firmware(remember where you put the firmware) click upgrade button, this procedure will take 15-30 minutes. If the firmware is wrong, it won't run, if this happens, send the screenshot to customer service ask for another firmware. If the firmware is correct, it will start run, from 0-100%, just wait for it done successfully.







Just wait for it runs 100% then everything will be done.

6. Exit the PCmaster, enter again.

The data will show normal as before.

Solution 2.

If you don't have computer or you want to use phone to operate, these are the procedures. 1. Save the firmware from our customer service, remember the link of where you store in your phone.! The firmware is different of each kind of BMS, please provide the front and side picture of the BMS, the invoice you purchase for us to confirm.



2. Save the base.apk, click the base.apk, find out the firmware before we sent to you.



APP download link https://www.pgyer.com/AX5L

3. It will come to this page, press + on the right top, find out the firmware before we sent to you. And select your bluetooth name.



4. If the firmware is mistake, the upgrade will say "failed"



Start upgrade

	1000	0	<
19:36 <	▲ DL-766702	201170B-	t≌ ‰i 86%∎ Success
File nar 基別 Pat	ne:BmsGD32 (本.s19 h:/storage/er msGD32E2 T)基版本.s1 e:150.48KB	E230_309(nulated/0/ 30_309(31	31_221110_100 ⁻ Download/B _221110_100
Be	oot version e	rror	CANCEL
Nur	nber of failur	res: 0	0%
	91	ograde hite	
	ш	0	<

Send this screenshot to customer service, try another firware. If the firmware is correct, it will show success, the start upgrading,

19:36 🖻

<

tt 5il 86% 🖬

DL-76670201170B-Success

File	
name:BmsGD32E230_309(31_221	110_100
基版本.s19	
Path:/storage/emulated/0/Downl msGD32E230_309(31_22111	oad/B .0_100
T)基版本.s19	
Size:150.48KB	

Upgrading...





5. After upgrading to 100%, open the smart bms app, it will show the correct data, but please don't click the bottom icon "software upgrade" again. The upgrade icon will remove soon by our engineers. If can't show normal data, you can download the old version V2.0.0.

76670203041C	STREETHURS	
Soc 99.19 √ Spannung insgesamt 26,2V	 Strom A^{strom} -1,1A 	
Laden MOS Entladen MOS Anzahl der Temperaturen T1: 24°C	Aktiv Zellenbalance please don't click upgrade!!!!!	
Batteriecode: Softwareversion: Softwareversion: Statusanzeige Aktiver Ausg	Software Upgrade	a
III O	<	Please don't click upgarde!!!

Thanks for reading! Sorry for all the inconvenience.

Any questions, please contact customer service.

Have a good day!

